





PVDF

API 1 rue de Valnois - 02220 BRENELLE
Tél. : 03.23.74.35.90 - Fax : 03.23.74.09.26

Site Internet : www.apiplast.fr
E-mail : apiplast@apiplast.fr



PVDF

TABLE DES MATIERES

PLAQUES PVDF
JONCS PLEINS PVDF
FIL A SOUDER PVDF


PAGES

B 07 003
B 07 003
B 07 003

POIDS THERIQUE DES PLAQUES PVDF

PLAQUES EXTRUDEES				
Epaisseur	2000x1000	3000x1500	2000x1000 ENTOILE	3000x1500 ENTOILE
1	3,600			
2	7,100			
3	10,700	24,000	11,800	26,500
4	14,200	32,000	15,400	34,500
5	17,800		18,900	
6	21,400		22,300	
8	28,500			
10	35,600			
12	42,700			

PLAQUES PRESSEES	
Épaisseur	2000x1000
10	35,600
12	42,700
15	53,400
20	71,200
25	89,000
30	106,800
35	124,600
40	142,400
50	178,000
60	213,600



PLAQUES - PROFILES PVDF - FIL A SOUDER

PLAQUE PVDF NATUREL EXTRUDEE				
Épaisseur mm	2000 x 1000	3000 x 1500	Épaisseur mm	2000 x 1000
1			5	
2			6	
3			8	
4			10	

PLAQUES PRESSEES
2000 x 1000
EPAISSEUR 10 à 60 mm
SUR DEMANDE

PLAQUE PVDF NATUREL ENTOILE TISSU POLYESTER		
Épaisseur mm	2000 x 1000	3000 x 1500
	Prix HT en €	Prix HT en €
2		
3		
4		
5		
6		

JONC PLEIN PVDF NATUREL			
D	Poids / Ml	D	Poids / Ml
10	0,150	70	7,040
15	0,330	80	9,220
20	0,580	90	11,660
25	0,910	100	14,410
30	1,300	110	17,490
35	1,780	125	22,600
40	2,310	140	28,330
50	3,610	150	32,560
60	5,190	160	37,050

FIL A SOUDER PVDF NATUREL			
SOUDURE RONDE		SOUDURE TRIANGULAIRE	
D	Poids / Ml	D	Poids / Ml
3	89	5 x 3 x 3	77
4	45		